Wastewater Treatment for Mega-Cities in the Developing World

> Frédéric Chagnon Donald R.F. Harleman

ADB - September 20, 2005



### Outline

## Public Health in Developing Countries Staged Wastewater Treatment Chemically Enhanced Primary Treatment



# Sanitation in Developing Countries




- 3 billion without appropriate sanitation
- 2 billion more urban dwellers in next 20 years
- 95% sewage untreated before discharge




# Sanitation Related Public Health

- Diseases
  - Water is Transmission Pathway:
- Women & children most affected
  - 1.5 million children die each year from diarrhoeal disease
- Large improvements conferred by appropriate water and sanitation
- Environmental quality benefits from sanitation





#### **Urban Areas & Slums**





Massachusetts Institute of Technology

## Sanitation & Development

- Costs of poor sanitation
  - Human morbidity (lost productivity; healthcare services)
  - Environmental degradation (loss of ecosystem services)
  - Foregone revenues
- Appropriate infrastructure alleviates poverty
  - Stimulates economic growth
  - Narrows socio-economic gap
  - Increases productivity
  - Improves health
- Women & children stand to gain most
  - Children more vulnerable to disease
  - Women have more contact with water/wastewater



### Outline

## Public Health in Developing Countries Staged Wastewater Treatment Chemically Enhanced Primary Treatment



#### Constraints

- Objectives are to improve public health and environmental quality
- Strict environmental regulations
- Limited budgets, high costs
- Limited capacity/willingness to pay on consumer behalf
- Resulting "partial treatment" financially wasteful, no public health benefit, little environmental improvements



### Constraints

- Limited cost recovery possibility
  - User charges incentive to serve users
  - User charges incentive to limit waste
  - But possible limited ability or willingness to pay (initially)
- Limited operating capacity
  - No previous experience with wastewater treatment
  - Simple treatment = learn basics and build-up capacity
- ⇒ Start with affordable tariffs (that fully recover O&M) and simple technology (for which capacity to operate easy & quick to build)



## Non-Phased Development

- Initial wastewater treatment to high environmental standard
- Cost recovery through user charges difficult (no capacity/willingness to pay)
- Limited technical capacity for operations
- Only part of a city's wastewater can be collected and treated
- Wastewater treatment plants and infrastructure may not be operated properly
  - Not able to pay for O&M
  - Not technically able to properly operate



## Phased Development

- Prioritization of problems to be tackled
- Comprehensive design of sanitation infrastructure and treatment
  - Meets environmental standards
  - Designed for future growth
- Staged implementation
  - Start with full wastewater collection and simple affordable treatment, build-up gradually
  - First priority is to treat 100% of wastewater to level where disinfection effective to mitigate public health problems
  - Subsequent implementation of planned/designed secondary treatment to comply with environmental regulations




### Outline

## Public Health in Developing Countries Staged Wastewater Treatment Chemically Enhanced Primary Treatment



## CEPT



- Chemicals added to clump smaller particles together into larger particles
- Larger particles settle faster
- Enhanced version of conventional primary treatment
- Can be followed by secondary treatment and/or outfall



# **Primary Efficiency**


#### **Conventional Primary Treatment**


<b>Overflow Rate</b>	% Removal				
(m/d)	BOD	SS	Phosphorus	Pathogens	
30–50	25–40	40–70	5–10	50–60	
Chemically Enhanced Primary Treatment					
<b>Overflow</b> Rate	% Removal				
(m/d)	BOD	SS	Phosphorus	Pathogen	
60–120	40–70	60–90	70–90	80–90	

Simple technologies Low energy and operator skill requirements



# **Primary Treatment**





- CEPT vs. Conventional Primary
  - Higher BOD & SS removal
  - Operates at higher overflow rate
  - Smaller area requirement
  - Lower Capital Cost
  - Greater resilience to flow variation
  - Reduced size of subsequent secondary treatment
  - Effluent can be disinfected
  - Larger amount of sludge produced
  - Higher O&M (chemicals)




#### **Bench-Scale CEPT**





Massachusetts Institute of Technology

### **Disinfection of CEPT Effluent**





Massachusetts Institute of Technology

#### **Cost Comparison**

	Capital Costs (US\$M/m <sup>3</sup> .s <sup>-1</sup> )	O&M Costs (US\$M/m <sup>3</sup> .s <sup>-1</sup> /yr)
PT without Disinfection	1.5	0.2
CEPT + Disinfection	1.3	0.5
PT + AS + Disinfection	5.0	1.0

Construction costs based on plant capacity;

O&M costs based on average daily flow (1/2 plant capacity).



## Advantages of CEPT as 1st Stage

Effluent can be disinfected

2x-3x conventional primary surface OFR

Approaches biological secondary treatment removal efficiencies for BOD and TSS

Reduces size of subsequent treatment

High phosphorus removal



## Conclusion

- Appropriate wastewater treatment & collection is desirable and has high Return on Investment
- Recovery of Operation & Maintenance costs through user fees critically important
- Tradeoffs necessary between desire for high environmental standards, affordability and technical capacity

#### → PHASED DEVELOPMENT

- CEPT is a flexible and low-cost treatment technology
- Appropriate for initial stage

